BRITISH RAILWAYS WESTERN REGION

EX MIDLANDS DIVISION

(TRANSFERRED TO L.M. REGION)

AND

GLOUCESTER DISTRICT

LOCOMOTIVE ROUTE AVAILABILITY

(BRANCH LINES)

BIRMINGHAM BRISTOL

June, 1963

C. A. Galley (Acting)

D. S. Hart

Divisional Managers

PDF processed with CutePDF evaluation edition www.CutePDF.com

I. CLASSIFICATION AND TYPE OF W.R. STEAM LOCOMOTIVES

WESTERN REGION RUNNING LINES are classified by colour as follows, for Locomotive Route Availability.

Engines are referred to in this pamphlet by class as shewn in first column below.

Class	Power Classification	Wheel Arrangement	Route Colour	Class Numbers
70XX	7P	4-6-0	Red	'Castle', 40XX, 50XX, 70XX.
10XX	7MT	4–6–0	Red	'County', 10XX.
79XX	5MT	460	Red	'Hall', 49XX, 59XX, 69XX, 79XX.
68XX	5MT	4-6-0	Red	'Grange', 68XX.
78XX	5MT	4-6-0	Blue	'Manor', 78XX.
47XX	7MT	2-8-0	Red	47××.
38XX	8F	2-8-0	Blue	28XX, 38XX.
73XX	4MT	2-6-0	Blue	53XX, 63XX, 73XX.
32XX	эмт	0-6-0	Yellow	22XX, 32XX.
72XX	8F	2-8-2⊤	Red	72XX.
42XX	(7F*) (8F†)	2-8-0T	Red	42XX, 52XX.
41XX	(4MT%) (5MT§)	2–6 - 2T	Blue	41XX, 51XX, 61XX, 81XX.
55XX	змт	2-6-2T	Yellow	45XX, 55XX.
56XX	5MT	0-6-2T	Red	56XX, 66XX.
15XX	4F	0-6-0T	Red	15XX.
94XX	4F	0-6-0T	Red	34XX, 84XX, 94XX.
36XX	4F	0-6-0T	Yellow#	36XX, 37XX, 46XX, 57XX, 67XX, 87XX, 96XX, 97XX.
74XX	***	0-6-0T	Yellow	54XX, 64XX, 74XX.
16XX	2F	0-6-0T	Uncoloured	16XX.
1366	1F	0–6–0⊤	Uncoloured	1367, 1368, 1369.
14XX	IP	0-4-2T	Uncoloured	I4XX.
1151	OF	0-4-0ST	Blue	1151.
1338	0F	0-4-0ST	Uncoloured	1338.

^{* 7}F 42XX and 5200-5203

^{&#}x27;Red':-Available for all classes of engines.

^{&#}x27;Dotted Red':-Available for 'Blue', 'Yellow' and 'Uncoloured' engines, also 'Red' engines at a restricted speed of 20 m.p.h.

^{&#}x27;Blue':-Available for 'Blue', 'Yellow' and 'Uncoloured' engines.

^{&#}x27;Dotted Blue':-Available for 'Yellow' and 'Uncoloured' engines, also 'Blue' engines at a restricted speed of 25 m.p.h.

^{&#}x27;Yellow':-Available for 'Yellow' and 'Uncoloured' engines only.

^{+ 8}F 5205-5264

^{% 4}MT 4IXX, 5IXX

^{§ 5}MT 6IXX, 8IXX

^{# 9700-9710} fitted with Condensing Apparatus. Route Colour 'Blue'.

^{** 54}XX—IP, 64XX—2P, 74XX—2F.

2. B.R. STANDARD LOCOMOTIVES—ROUTE AVAILABILITY

Class 9F (2-10-0) (92XXX)—May work over permitted running lines subject to the observance of the prohibitions and restrictions given below. The engines are classified 'Blue' and restricted to a speed of 50 m.p.h. over 'Blue' routes:-'Red' Routes Siding Restrictions as for 38XX and 47XX Class Engines. 'Blue' Routes As for 38XX Class Engines. Speed not to exceed 50 m.p.h. 'Dotted Blue' Routes .. As for 38XX Class Engines. Speed not to exceed 25 m.p.h. 'Yellow' and 'Uncoloured' Routes Prohibited. Class 7 (4-6-2) (70XXX) .. As for 70XX Class. Class 5 (4-6-0) (73XXX) Prohibited on all 'Blue', 'Yellow' and 'Uncoloured' Routes. Restrictions-As for W.R. 79XX Class engines. Class 4 (4-6-0) (75XXX) Prohibited on 'Yellow' and 'Uncoloured' Routes. Restrictions—As for W.R. 78XX Class engines. Class 4 (2-6-0) (76XXX) Class 4 (2-6-4T) (80XXX) ... \ Prohibited on 'Yellow' and 'Uncoloured' Routes. Restrictions—As for 'Blue' engines. Prohibited on all 'Uncoloured' Routes. Engines numbered 82030, 82036, 82037, 82038, 82039, 82040, 82041, 82042, 82043 and 82044, when working over 'Yellow' or specially authorised 'Uncoloured' Routes, must not be coupled to another engine of the same Class. Class 3 (2-6-2T) (82XXX) .. Prohibited on all 'Uncoloured' Routes.

Class 3 (2-6-0) (77XXX)

Class 2 (2-6-0) (78XXX) Class 2 (2-6-2T) (84XXX) ... These locomotives are in the 'Uncoloured' group for engine route purposes.

WORKING OF W.D. (2-8-0) (90XXX) LOCOMOTIVES

The speed of these engines must not exceed 40 m.p.h. under any circumstances, and they must not be used for working '4' and '5' headcode freight trains except in emergency.

3. B.R. DIESEL LOCOMOTIVES-ROUTE AVAILABILITY

B.R. Type	Power, etc.	Wheel Arrangements	Route Colour	Class No.
1	800 h.p. Diesel Electric (B.T.H. and N.B. Loco.)	В-В	Blue	D.8200
1	900 h.p. Diesel Electric (Clayton Equipment) Permitted on 'Yellow' and 'Dotted Blue' routes at speeds up to 50 m.p.h.	В-В	Blue -	D.8500—D.8587
1	1,000 h.p. Diesel Electric (E.E.C.)	В-В	Blue	D.8000—D.8127
2	1,000/1,100 h.p. Diesel Electric (N.B. Loco.) Also permitted as Single or Double Unit over 'Yellow' routes specially authorised for 73XX Class engines.	В-В	Blue	D.6100—D.6157
2	1,000 h.p. Diesel Hydraulic (N.B. Loco.)	В-В	Bluet	D.6300—D.6305
2	1,100 h.p. Diesel Hydraulic (N.B. Loco.)	В-В	Yellow	D.6306—D.6357
2	I,100 h.p. Diesel Electric (E.E.C.)	В-В	Red	D.5900—D.5909
2	1,160/1,250 h.p. Diesel Electric (B.C. & W.)	В-В	Red Blue	D.5300—D.5319 D.5320—D.5415
2	1,160/1,250 h.p. Diesel Electric (B.R. Sulzer)	В-В	Red Blue	D.5000—D.5049 D.5050—D.5175
‡2	1,200 h.p. Diesel Electric (Metro Vick)	C-B	Special	D.5700—D.5719
2 & 3	1,250/1,365/1,600 h.p. Diesel Electric (Brush Bagnall)	AIA-AIA	Blue	D.5500—D.5699 D.5800—D.5834 D.5836—D.5862
3	1,550 h.p. Diesel Electric (B.C. & W.)	в-в	Blue	D,6500—D.6597
3	1,700 h.p. Diesel Hydraulic (Beyer Peacock)	в-в	Red§	D.7000—D.7100
3	1,750 h.p. Diesel Electric (E.E.C.)	C-C	Blue	D.6700—D.6918
4	2,000 h.p. Diesel Electric (E.E.C.)	IC-CI	Blue	D.200—D.399
4	2,000 h.p. Diesel Hydraulic (N.B. Loco.)	AIA-AIA	Red	D.600—D.604
4	2,000 h.p. Diesel Electric (Brush Bagnall)	AIA-AIA	Red	D.5835
4	2,200 h.p. Diesel Hydraulic (Swindon)	В-В	Red	D.800—D.832 D.866—D.870
4	2,200 h.p. Diesel Hydraulic (N.B. Loco.)	` в-в	Red	D.833—D.865
4	2,300 h.p. (and 2,500 h.p.) Diesel Electric (B.R. Sulzer)	IC-CI	Red	D.I, 3—D.10 (2,300 h.p.) D.2, 11—D.199 (2,500 h.p.)
4	2,700 h.p. Diesel Hydraulic (Swindon and Crewe)	C-C	Red	D.1000—D.1073
4	2,750 h.p. Diesel Electric (Brush)	c-c	Red	D.1500—D.1649
4	2,750 h.p. Diesel Electric (B.C. & W.) and (Brush)	C-C	Red	D.0260 & D.0280
5	3,300 h.p. Diesel Electric (E.E.C.)	с-с	Blue	D.9000—D.9021

[†] May travel over 'Yellow' routes not exceeding 40 m.p.h.

Permissions given in this booklet for the use of diesel locomotives apply to running lines only, but may include certain siding prohibitions.

If they are required to use sidings other than those specifically prohibited or authorised, authority must be obtained from the C.C.E. through Traffic Headquarters, Paddington.

[‡] If required to run over W.R. lines special authority to be obtained from the C.C.E. through Traffic Headquarters, Paddington.

[§] Permitted to work over 'Dotted Red' and most 'Blue' routes subject to maximum speed of 60 m.p.h. and strict observance of all lower permanent and temporary speed restrictions.

4. B.R. DIESEL CARS—ROUTE AVAILABILITY

Diesel Cars and Multiple Units may work over all running lines and sidings within the Western Region maintenance which are normally used by coaching stock, subject to the observance of service restrictions, and the following stipulation:

Before any Diesel Cars or Multiple Units are permitted to work into cattle pens, loading docks, etc., which are not usually used by coaching stock for the purpose of stabling, it will be necessary for clearance tests to be carried out.

The numbers of the vehicles forming the various types of sets are given hereafter:

THREE-CAR LOW DENSITY CROSS-COUNTRY DIESEL SETS

FOUR-CAR INTER-CITY DIESEL SETS

Motor Brake Composite	1.15	1:14	50696–50744 51052–51079 51573–51581	Motor Brake Second Trailer Buffet Second	 	••	52086–52095 59828–59832
Trailer Buffet Second	4.6	•	59255–59301 59413–59437	Trailer Composite Trailer Second	 2.7	**	59818-59827
Trailer Second	230	550	59579–59588	Motor Second	 344	1-02	52096-52105
Motor Second	**		50647-50695 51080-51107 51582-51590				

Authority has been given for Cross-Country Multiple Units and for W.R. Inter-City Multiple Units to work between Barnt Green and Sheffield via Birmingham, Burton, Derby, Ambergate, Clay Cross and Horns Bridge with the shoe of the A.W.S. apparatus in the operative position. These units are not permitted to work with the A.W.S. shoe down over the alternative route via Stenson Junction, Trent and the Erewash Valley line.

THREE-CAR HIGH DENSITY SUBURBAN DIESEL SETS

Motor Brake Second	K (\$);	99.30	354	es.	50050-50091 50818-50870 51128-51140 51302-51316 51332-51373
Trailer Composite	#189	65.EX	2131	***	59000-59031 59326-59376 59438-59448 59469-59522
Trailer Second	5250		20.	**	59032-59041
Motor Second	***)	***	2.3	••	., 50092-50133 50871-50923 51141-51153 51317-51331 51374-51415

Authority has been given for High Density Diesel Multiple Units fitted with Trip Cock Gear to work in the London Division, also between Didcot, Wolverhampton (Cannock Road) and Wellington, via Banbury and Leamington, and to Moreton-in-Marsh without restriction.

These units may also work over the Southern Region as under subject to the requirements mentioned being strictly observed:-

SOUTHCOTE JUNCTION TO SOUTHAMPTON CENTRAL AND TERMINUS (VIA WINCHESTER CITY) EASTLEIGH TO PORTSMOUTH HARBOUR AND LOW LEVEL STATIONS (VIA BOTLEY AND FAREHAM)

A.W.S. Shoe may remain in operative position. Trip Cock must at all times be clipped up when working beyond Basingstoke. When working in other areas, the trip cock gear must be clipped up.

SINGLE-CAR DIESEL UNITS

Motor Brake Second	19819	3.3		55000–55035
Drive-end Trailer Second		96.00	***	56280-56299
Diesel Parcels Unit	100.00	11.1		55991–55996

DIESEL MULTIPLE DE LUXE (PULLMAN) UNITS

The above units must be confined to 'Red' routes so far as the Western Region is concerned subject to service restrictions. Sidings normally used by coaching stock are also authorised for these units, May work between Northolt Junction East and Wembley Hill into Neasden for stabling with A.W.S. shoes in operative position.

5. B.R. DIESEL SHUNTING LOCOMOTIVES—ROUTE AVAILABILITY

350 h.p. Diesel Electric Shunting Locomotives-D.3XXX, D.4XXX and No. 15100.

Prohibited from all 'Uncoloured' routes and 'Yellow' routes except for shunting and the following Lines and Sidings:-

	Station	or Pl	ace			Prohibitions or Restrictions
Bremmel Sid	lings					NOT to work past end of B.R. Maintenance.
Purton					•	
Stroud		133			- 9.0	
Gloucester (17252			NOT to work in Cattle Pen Sidings. When working in Engineer's Yard care to be exer-
		,				cised. Engine not to proceed beyond gate at East end of Yard.
Bullo Pill				2000		NOT - I I AM D I CI II
Gloucester I	Docks	1				NIGHT
Gloucester I		ranch	4.1	::	.:	NOT to work beyond I m.p. Llanthony Yard.
Bullo Docks						To work on Main Line only.
Dymock	Dianen			20.0		1107 1 1 1 0 1 0 1
R.O.F. Sidin	Roch	· ·				NOT to work past end of B.R. Maintenance.
Whimsey G	sode			1.00		NOT to work alongside Goods Shed.
Churchway		55	3.2	1.5	**	NOT to work past gate Northern United Colliery.
Winchcomb				::		
Newland W						NOT to work past end of B.R. Maintenance, Gas Board's Sidings.
Malvern Lin						
Malvern Ne				36.6	• •	NOT to work over Turntable on Shunting Spur.
Quedgeley			33525	15.5		
Charfield	• •	•		17.7		NOT to work over any siding not at present used by B.R. Locomotives.
	• •		• •	• •	9.	NOT to work over Turntable to Goods Shed, into Brick & Tile Co.'s Siding, or over "shoots" in Coal Sidings.
Cam	6.6			90.0	34.00	NOT to work in Coal Yard Siding or Messrs. Hunt & Winterbottom's Siding or Work- men's Sidings.
Dursley	5.5		395	0.2	**	NOT to work beyond limits of B.R. Maintenance in Gas Board's Sidings or any of Messrs. Lister's Sidings.
Gloucester I	Docks B	ranch	(High	Orchar	d)	NOT to work on any Private Sidings, High Orchard Yard or on line to Gloucester Dock (Albion Crossing).
Hempstead	Branch	(*)				NOT to work into Collett's Siding or past end of B.R. Maintenance, Gas Board's Siding.
Ryeford .					**	
Lane's Siding		Dudbr	idge)	25.5	15.5	
Woodchesto						NOT to work into Timber Co.'s Siding.
Newman He	nder's S	siding	(near	Vailswo	orth)	NOT to be used.
Nailsworth		6.6		3.74		NOT to work on Siding behind Store at bottom end of Goods Yard.

350 h.p. Diesel Electric Shunting Locomotives-Nos. 15101-15106.

350 h.p. Diesel Electric Shunting Locomotives-D.3XXX, D.4XXX, 15100-15106.

Maximum permissible speed (except No. 15100) 15 m.p.h. on trips or Local Freights.

Maximum permissible speed (except No. 15100) 20 m.p.h. when Running Light.

When used for Engineering Department purposes at site of work

- 1. When towed must be restricted to a speed of 10 m.p.h. unless they are demeshed.
- 2. They may be permitted to work in conjunction with the Mobile Track Relaying Unit.
- 3. They may be permitted to pull or propel vehicles for Engineering Department purposes provided the laid down speed limits are not exceeded.
- 4. They must not in any circumstances be coupled to a steam engine or train worked by a steam engine, except as indicated in item 1.

200 h.p. Diesel Mechanical Shunting Locomotives-D.2XXX

Engine Route Classification 'Uncoloured'.

Subject to the following restrictions over Gloucester High Orchard Branch:-

	Statio	n or Pla	ce			Prohibitions or Restrictions
Merchant's F	Road Si	ding		**		NOT to pass the face of Thompson's building. Shunting to be carried out with a minimum of 2 empty wagons,
Fielding and	Platt's	Siding	••	2.5	• •	NOT to pass Drop Shutter Doors, and any shunting to be carried out with one empty wagon.
The Basin		¥140	• •	×.		PROHIBITED, with the exception of two long sidings running alongside the Inner Basin Dock.

ENGINE RESTRICTIONS

KINGS SUTTON TO HOOK NORTON. Route Colour 'Blue'.

Permitted engines-All in 'Blue', 'Yellow', and 'Uncoloured' groups.

	Stat	ions			Connections and Sidings	Engines Prohibited
Adderbury	••				Duffield Iron Company's Private Siding, from Signal Box into Works.	78XX
Bloxham		5.50	7.5		Cattle Pen Siding	W.D. 2-8-0 (90XXX)
Hook Norto	n	DE		38.¥	into Shed (Banbury end) Back Coal Road, Up Side. Connection, Down Sidings to Down line (Kingham end)	78XX N.B.—78XX may work into Shed from Kingham end as far as toe of switches to crossover. 78XX must traverse this connection at walking pace.
					No. 2 Ironstone Siding	W.D. 2-8-0 (90XXX) N.B.—W.D. 2-8-0 (90XXX) may work into Shed from Kingham only. To be negotiated by W.D. 2-8-0 (90XXX) at slow speed.

BANBURY (MERTON STREET)

Western Region	B.R. Standard	Diesel	L.M. Region	Remarks
None	All except:— 4-6-2 70XXX 2-10-0 92XXX	All except:— 10000 and 10001 As Single and 10201, 10202, 10203 Double Units.	All except:— 4-6-0 45512-45742 46101-46169 4-6-2 46220-46257 0-8-0 48895-49454 2-8-0 48000-48772 53806-53810 90000-90731	

LEAMINGTON SPA (MILVERTON)—LEAMINGTON SPA (AVENUE)

Engines Authorised							
Western Region	B.R. Standard	Diesel	L.M. Region	Remarks			
32XX, 36XX, 56XX, 94XX.	All	All	All except:— 2-8-0 53806-53810				

LEAMINGTON SPA (AVENUE)-RUGBY

No Western Region engines permitted.

SWAN VILLAGE JUNCTION-GREAT BRIDGE SOUTH. Route Colour 'Dotted Blue'

Permitted engines:—All in 'Blue' (except D5320-D5415), 'Yellow' and 'Uncoloured' groups. Engines in the 'Blue' group restricted to 25 m.p.h,

WALSALL STREET BRANCH

Permitted engines-All.

Engines in 'Red' group restricted to 20 m.p.h.

Stations		Connections and Sidings	Engines Prohibited	
Walsall Street Goods	S#3# 1	Chillington Works Siding turntable Bantock's Siding Hickman's Sidings beyond L.M.R. bridge New Road Farm Sidings Crane Road Farm Sidings No. 2 Siding	All 4-6-0 and 47XX	

STRATFORD-UPON-AVON OLD TOWN GROUND FRAME (ex L.M.R.)—STRATFORD-UPON-AVON EVESHAM ROAD (W.R.). Route Colour 'Red'.

	Remarks					
Western Region	B.R. Standard	Diesel	L.M. Region	Kemarks		
All except 70XX 47XX 10XX	2-6-0 76XXX 77XXX 2-6-2T 82XXX 84XXX 2-6-4T 80XXX 4-6-0 75XXX 2-10-0 92XXX	D 5000 Class D 5100 Class D 5300 Class D 5500 Class D 5700 Class D 5700 Class D 6100 Class D 8000 Class D 8000 Class D 8200 Class D 8200 Class D 8400 Class D 8400 Class	0-6-0T 4 708-4 875 47201-4768 0-6-0 43342-44605 58 43-58 82 2-6-0 43000-43 6 46400-46527 4-6-0 44658-45499 2-8-0 48000-48772 90000-90732			

STAFFORD ROAD JUNCTION TO VICTORIA BASIN BRANCH. Route Colour 'Dotted Red'.

Permitted engines:-All.

All 'Red' group engines restricted to 10 m.p.h.

Local Restrictions:-

Station	Connections and Sidings	Engines Prohibited	
Herbert Street Goods	Goods Shed No. 3 Road Shed and transfer shed from commencing of platform Windmill Yard (beyond Bone Mill Lane) Bridge	ALL except 94XX, 36XX, 74XX, 16XX.	

OLDBURY GOODS BRANCH. Route Colour 'Dotted Red'.

Permitted engines-All.

'Red' group engines restricted to 20 m.p.h.

Local Restrictions:-

Connection and Sidings									Engines Prohibited
Chemical Sidings			9.0				34.5		4-6-0 engines not to exceed 5 m.p.h. All 4-6-0, 2-8-0 and B.R. STD 92XXX.
Albright & Wilson's Siding	14.1	6.41		7.36		5454		7.7	All 4-6-0, 2-8-0 and B.R. SID 92XXX.

OLD HILL JUNCTION-HALESOWEN JUNCTION, L.M.R. Route Colour 'Yellow'.

Permitted engines: -36XX, 74XX, and engines in 'Uncoloured' group, also 350 h.p. Diesel Shunting engines.

36XX engines permitted Old Hill to Halesowen Basin subject to a speed restriction of 25 m.p.h. to Halesowen and 10 m.p.h. over line to Basin.

WINDMILL END BRANCH. Route Colour 'Dotted Red'.

Permitted engines:—All except 47XX. All 'Red' group engines restricted to 20 m.p.h.

NETHERTON GOODS BRANCH. Route Colour 'Blue'.

Permitted engines:—All 'Blue', 'Yellow', and 'Uncoloured' groups and 350 h.p. Diesel Shunting engines.

Station	Connections and Sidings Engines Prohibited
Netherton Goods	Beyond Level Crossing B.R.Std. 92XXX. Note: All othe 'Blue' group engines restricted to Running Road only.
	Nos. 4, 5, 6 and 7 Coal Sidings 350 h.p. Diesel Shunters.

CORNGREAVES BRANCH

Permitted engines:-36XX, 74XX, 16XX, 1366 and 350 h.p. Diesel Shunting engines only.

Fellows Bros. Mid-British Siding
Cradley Heath Mfg. Co. Siding
Bullas Siding, beyond road crossing

ALL engines prohibited.

OLD HILL GOODS (SPINNERS END) BRANCH

Permitted engines:—36XX, 74XX, 16XX, 1366 and 350 h.p. Diesel Shunting engines only.
Fellow Bros. Siding, beyond gates ALL engines prohibited.

HAYES LANE BRANCH

Permitted Engines: -36XX, 74XX, 16XX, 1366, also 350 h.p. Diesels subject to speed restriction of 5 m.p.h.

STOURBRIDGE TOWN PASSENGER BRANCH AND STOURBRIDGE TOWN GOODS BRANCH. Route Colour 'Dotted Red'.

Permitted engines:—ALL except 47XX. ('Red' engines not to exceed 20 m.p.h.), also 350 h.p. Diesel Shunting engines.

KIDDERMINSTER AND BEWDLEY. Route Colour 'Dotted Red'

All engines in 'Red' group (except 47XX) are permitted subject to a maximum speed of 20 m.p.h. All engines in 'Blue' and 'Yellow' groups are permitted subject to the following restrictions of speed:—

Stations	Mileage			Maximum Speed
Between Kidderminster and Foley Park Halt	. Up and Down Trains between 135½ m.p. and 136 m.p Up and Down Trains between 136 m.p. and 138 m.p.	::	::	30 50

BEWDLEY AND TENBURY WELLS. Route Colour 'Dotted Blue'

All engines in 'Blue' group are permitted subject to a maximum speed of 25 m.p.h.
All engines in 'Yellow' group are permitted subject to a maximum speed of 40 m.p.h.

Stations				Connections and Sidin	Engines Prohibited		
Wyre Forest	• •			Siding alongside wharf		33)
Cleobury Mortimer		19.5	25.25	Beyond gate leading to Bayton Siding			I I was a second of the second
			i	No. 3 Outer Yard Siding	20.00	39.79	All except 0-6-0T
			- 1	Ditton Priors Branch Sidings	15-5.1	853	
Newnham Bridge				Alongside Back Platform Cattle Pen Wharf	• •	::	11
rewilliam bridge		**	• •	Cattle Pen Wharf			

HARTLEBURY, BRIDGNORTH AND SHREWSBURY—(Severn Valley Branch)

Dotted 'Red' Route-Hartlebury and Bewdley

Engines in the 'Red' group (except 47XX) may work between Hartlebury and Bowdley, subject to the maximum speed not exceeding 20 m.p.h. at any point, also to strict adherence to the following prohibitions and restrictions.

Dotted 'Blue' Route-Bewdley and Buildwas

Engines in the 'Blue' group (except 2-8-0 types) may work between Bewdley and Buildwas, inclusive, at a maximum overall speed not exceeding 25 m.p.h. at any point, subject to the following prohibitions and restrictions.

NOTE:—41XX are not restricted between Bewdley and the River Bridge at 140m. 35c. (near Arley) and between Linley and Ironbridge and Broseley, but the speed of these classes of engines must not exceed 25 m.p.h. between 140m. 35c. and Linley.

'Blue' Route-Buildwas and Shrewsbury

Engines in the 'Red' group (except 47XX) may work over the running lines only between Buildwas and Shrewsbury, provided the speed does not exceed 20 m.p.h. at any point and subject to service restrictions,

HARTLEBURY, BRIDGNORTH AND SHREWSBURY—continued

	Stat	ions			Connections and Sidings Engines Prohibited
Hartlebury		••	200		
Stourport-or	n-Seve	rn—		- 1	
Basin	6.6	***	0.00		Over weighing machine 'Red' and 'Blue' engines.
South End					Crane Road 'Red' and 'Blue' engines.
North End	•	• •	••	• • •	Through Slip Road, leading from Down line to Down 'Red' group and 78XX B.R. Std. 80XXX. Sidings
Steatite Wo	rks	3404	••	**	Private Sidings
Central Elec	tricity	Autho	rity	••	Private Sidings
Arley	200	***	**	••	Victoria Bridge at 140m. 35c
					engine are coupled, the tank engine must be coupled to the tender of the tender engine. 4. Not more than two engines may work coupled.
Buildwas		**			W.R. Loop and Siding at Buildwas Power Station 'Red' engines may use the W.R. Loop and Sidings.

MADELEY JUNCTION AND LIGHTMOOR. Route Colour 'Dotted Blue' LIGHTMOOR AND BUILDWAS. Route Colour 'Blue'

Engines in the 'Red' Group (except 47XX) may work over the running lines only between Madeley Junction and Lightmoor Junction provided the speed does not exceed 20 m.p.h. at any point and subject to Service restrictions.

As a 'Special' case engines in the 'Red' Group (except 47XX) may work over the running lines and certain sidings between Lightmoor Junction and Buildwas provided the speed does not exceed 20 m.p.h. throughout and that the 15 m.p.h. restriction over the Albert Edward Bridge, near Buildwas is strictly observed. No coupling or assisting of 'Red' engines can be permitted between Buildwas and Lightmoor Junction.

'Red' engines may use the sidings at Buildwas Power Station and the sidings at the undermentioned places:-

Coalbrookdale Works		* * .	6360	All sidings at present used by 'Blue' engines as far as Checkers Office.
Coalbrookdale Station		2.20		Up Sidings
Lightmoor				No. I Siding (adjoining the Up Running Line) 94XX not to work beyond connections
				to back road and machine road. Also 78XX not to work over weighing machine.
Kemberton Colliery	0.0			No. 1 Siding and up to Notice Board in Nos. 2, 3 and 4 Sidings—94XX only permitted.
Madeley Court Works	*1.01	*0.*0		As far as Notice Board at the entrance to the loading bank,—94XX only permitted.
Madeley Court Goods Yard	*:*:			Up Sidings. Not to work into Goods Shed—94XX only permitted.

ALBERT EDWARD BRIDGE

In addition to the above the following instructions apply to the working of trains double-headed over the Albert Edward Bridge, near Buildwas:—

- 1. No 'Blue' Group engines may be coupled.
- The undermentioned 'Blue' Group engines must not have coupled assistance:
 — 78XX, 38XX, W.D. 2-8-0 (90XXX), 73XX, 41XX.
- 3. Other 'Blue' engines may be coupled to any 'Yellow' tender engine or any engine in the 'Uncoloured' Group.
- 4. 'Yellow' Tank engines must not be coupled.
- 5. When tank engines are assisted by tender engines the tender must be next to the tank engine.

LIGHTMOOR JUNCTION AND KETLEY. Route Colour 'Blue'

BUILDWAS AND LONGVILLE

Engines in the 'Yellow' (except 32XX and 55XX) and 'Uncoloured' Groups may work between Buildwas and Longville.

Any engine in the 'Blue' Group may work between Buildwas and Farley. Such engines may also run to Much Wenlock for water in emergencies. The overall speed between Buildwas and Much Wenlock must not exceed 30 m.p.h. at any point.

As a 'Special' case W.R. engines in the 'Red' Group (except 47XX) may be utilised for working between Buildwas and Much Wenlock in connection with the conveyance of Government traffic subject to the maximum overall speed not exceeding 20 m.p.h.

HADLEY JUNCTION AND DAWLEY AND STIRCHLEY

	E	_		
Western Region	B.R. Standard	Diesel	L.M. Region	Remarks
36XX (See Siding Prohibitions)	All except:— 4-6-2 70XXX	All except:—	All except:— 4-6-0 44658-45742 46101-46169 4-6-2 46220-46257 2-8-0 53806-53810	The following Engines are restricted to 15 m.p.h. over Bridges 3 and 4 between 1 and 1½ m.p. 2-8-0 48XXX 90XXX B.R. STD 2-10-0 92XXX.

36XX can work anywhere on the above Branch and Sidings, subject to the following restrictions:-

Blockleys Top Siding Prohibited beyond entrance gates due to sharp curvature against wharf wall.

Oakengates Yard Not to go alongside scrap iron high loading dock.

works.

Speed not to exceed 10 m.p.h. between 1 m.p. and 11 m.p.

KINGHAM AND CHIPPING NORTON BRANCH

Engines in the 'Blue' group or a lower category may work between Kingham and Chipping Norton, subject to the following prohibitions.

Stations		Connections and Sidings	Engines Prohibited		
Chipping Norton	68. 164	Fittings near Loading Dock leading to Shed Side Road, Banbury end Slip Road of compound in Down Line, Kingham end of platform Bliss and Company's Private Sidings to works and to site of old Loading Dock. Coal Road beyond old Engine Shed Cattle Pen Siding from Cattle Pens to Stopblock From Up line to Goods Shed	78XX must traverse this connection as walking pace.		

WORCESTER VINEGAR BRANCH. Route Colour 'Uncoloured'.

Western Region	B.R. Standard	Diesel	L.M. Region	Remarks
6XX	Nil	Nil	Nil	

WORCESTER AND BROMYARD BRANCH. Route Colour 'Yellow'.

Engines in the 'Yellow' and 'Uncoloured' Groups only may work between Bransford Road Junction and Bromyard subject to the following restrictions:—

Stations					Connections and Sidings	Engines Prohibited		
Suckley	1.00	••		**	Not to enter or leave Sidings via connection to Loop at Worcester end of Down Platform.	55XX.		

KINGHAM AND BOURTON-ON-THE-WATER BRANCH. Route Colour 'Dotted Red'.

W.R. Engines in the 'Red' Group may work over this line (except 70XX and 47XX) subject to a speed restriction of 20 m.p.h.

DURSLEY STATION-COALEY JUNCTION. Route Colour 'Uncoloured'.

	2				
Western Region	B.R. Standard	Diesel	L.M. Region	Remarks	
74XX I6XX	2-6-2T 82XXX 84XXX 2-6-0 77XXX 78XXX	200 h.p. 350 h.p.	0-6-0T 41708-41875 0-6-0 58143-58182 2-6-0 46400-46527		

STROUD-DUDBRIDGE, Route Colour 'Blue'.

	Eng	ines Authorised	r.	20 20
Western Region	B.R. Standard	Diesel	L.M. Region	Remarks
None	2-6-2T 82×X× 84×X 2-6-0 76×X 77×X 78×X 2-6-4T 80×X	8200-8236 D.2XXX	0-6-0T 41708-41875 47201-47681 0-6-0 43342-44605 58143-58182 2-6-0 43000-43161 2-6-4T 42425-42699	*

NAILSWORTH-STONEHOUSE (BRISTOL ROAD). Route Colour 'Blue'.

	Eng	ines Authorised		
Western Region	B.R. Standard	Diesel	L.M. Region	Remarks
*32XX	. 2-6-2T 82XXX 84XXX 2-6-0 76XXX 77XXX 78XXX 2-6-4T 80XXX	8200-8236 8400-8409 D.2XXX D.70XX§	0-6-0T 41708-41875 47201-47681 0-6-0 43342-44605 58143-58182 2-6-0 43000-43161 46400-46527 2-6-4T 42050-42299 42425-42699	*—W.R. 32XX may work over all running lines and to Engine Stop Board on the Oil Cake Store road at Ryeford. All other Sidings prohibited §—Permitted at max. speed of 25 m.p.h.

GLOUCESTER DOCKS BRANCH (HIGH ORCHARD) (including High Orchard Goods Line). Route Colour 'Red'.

Western Region	B.R. Standard	Diesel	L.M. Region	Remarks
None	All	All except:— 10000-10001 10201, 10202 10203 The following are not to work beyond the level crossing at Canal end of High Orchard Yard or on lines to Gloucester Docks (Albion Crossing) or to Merchant's Road. 5000-5049 5300-5319 5500-5699 5700-5719 5800-5862 5900-5909 6100-6157 6300-6305 8000-8127 8200-8243 8400-8409	All except:— 4-6-2 46220-46257 2-8-0 53806-53810 0-6-0 57261-57690	D.8200-D.8243, D.8400- D.8409. To work or Main Line only.

TUFFLEY BRANCH (GLOUCESTER)

	E	ngines Authorised		
Western Region	B.R. Standard	Diesel	L.M. Region	Remarks
None	All except:— 4-6-2 70XXX	All except:— 5500-5699 10000-10001, 10201, 10202, 10203 (As single and double units)	All except:— 2-6-0 42700-42984 4-6-0 45512-45742 46101-46169 4-6-2 46220-46257 2-8-0 53806-53810 0-6-0 57261-57690	D.8200- D.8243, D.8400- D.8409. To work or Main line only at Hemp- sted.

ASHCHURCH-UPTON-ON-SEVERN. Route Colour 'Yellow'.

	Eng	ines Authorised			
Western Region	B.R. Standard	Diesel	L.M. Region	Remarks	
36XX	2-6-2T 82XXX 84XXX 2-6-0 77XXX 78XXX 2-6-4T 80XXX	8200-8236 D.2XXX	0-6-0T 41708-41875 47201-47681 0-5-0 57261-57384 43261-44605 58143-58182 2-6-0 46400-46527 2-6-4T 42050-42699	The following engines are authorised between Ash-church and Tewkesbury only:— D.70XX, 47200-42944, 43000-43161,	

GLOUCESTER OVER JUNCTION AND DYMOCK. Route Colour 'Dotted Blue'.

					Eng	ines Authorised	Ÿ		
West	ern Regi	on	В.	R. Sta	ndard	Diesel	L.M. F	Region	Remarks
All 'Blue', '' coloured			a		, 'Yellow' ncolour- oups'.	All 'Blue,' 'Yellow' and 'Un- coloured' Groups.	Nil ,		'Blue' Group engines subject to a speed restriction of 25 mp h.
	Stati	ons		1		Connections and Sidings	3	1	Engines Prohibited
Newant	CKS	••	••	1816	leading Through	ons in Up Main Line betwe to Goods Shed connection to Back Siding of	Goods Shed	7077	
Dymock	447		***			on in Down Line between sta ds Shed	ctions leading	78XX spe	ed not to exceed 4 m.p.h.

GLOUCESTER DOCKS BRANCH SIDINGS AND GLOUCESTER DOCKS (LLANTHONY YARD). Route Colour 'Blue'

	E	ngines Authorised		
Western Region	B.R. Standard	Diesel	L.M. Region	Remarks
All 'Blue', 'Yellow' and 'Uncoloured' groups.	All 'Blue', 'Yellow' and 'Uncoloured' Groups.	All 'Blue', 'Yellow' and 'Uncoloured' Groups.	2-6-0 46400-46527	D.8200- D.8243, D.8400- D.8409. Care to be taken when working into Docks Branch from Over Junc- tion. Not to work past I.m.p. in Llanthony Yard, and to work on Main Lines only.

GLOUCESTER DOCKS BRANCH SIDINGS AND GLOUCESTER DOCKS (LLANTHONY YARD) Route Colour 'Blue'-continued

Stations	Connections and Sidings	Engines Prohibited
Lianthony Yard and Glouceste Docks	All Docks and Traders' Sidings	*

*—16XX only are permitted to work over Llanthony Yard and all Docks and Traders' Sidings, subject to the observance of Engine Stop Boards and the following restrictions:-

SPEED NOT TO EXCEED 5 m.p.h. OVER ANY SIDINGS OUTSIDE LLANTHONY YARD

Such engines must be fitted with spark arresters.

200 h.p. Diesel Shunting Locomotives may work in Gloucester Docks Branch Sidings and Llanthony Docks without restriction.

All classes are prohibited from using any Sidings at Llanthony Yard except the 'Straight' and 'Water Crane' roads not exceeding a speed of 5 m.p.h.

ROSS-ON-WYE AND LYDBROOK. Route Colour 'Yellow'

Types of Engines authorised: - 'Yellow' and 'Uncoloured' Groups.

36XX are subject to a speed restriction of 25 m.p.h.

BULLO PILL—CINDERFORD

Types of Engines authorised:-'Blue', 'Yellow' and 'Uncoloured' Groups. 'Blue' Group Engines are subject to a speed restriction

of 25 miles per hour.

36XX and W.D. 2-8-0 90XXX may work over the undermentioned Sections of Line, subject to the observance of service restrictions and the following prohibitions:-

Routes:

(1) Bullo Pill to Whimsey.

(2) Bilson Loop to Cinderford Station.

(3) Bullo Pill to termination of the Dock Branch.

(4) Churchway Branch. To the Stop Board at termination of Branch.

D.8200-D.8243, D.8400-D.8409 to work on Main Line only and speed not to exceed 25 m.p.h.

BERKELEY ROAD JUNCTION AND SHARPNESS. Route Colour 'Yellow'.

	E	ngines Authorised		
Western Region	B.R. Standard	Diesel	L.M. Region	- Remarks
All 'Yellow' and 'Uncoloured' Groups. 73XX on running lines only. 38XX (See below)	All 'Yellow' and 'Uncoloured' Groups. 75XXX,76XXX on running lines only.	All 'Yellow' and 'Uncoloured' Groups.	Standard Class 2 (2-6-2T) Standard Class 2 (2-6-0) Midland Class 2F (0-6-0)	*

*—73XX may attach or detach traffic at the Up Sidings at Sharpness South, providing a sufficient number of wagons are attached to the Engine as a raft to obviate the necessity for the Engine itself working over the junction or into the Up Sidings.

32XX, 36XX, are prohibited over Sharpness North Docks.

Ex-L.M.R. engines, authorised to work over the Gloucester to Bristol Section may work without restriction on Running Lines only between Berkeley Road Junction and Sharpness. Also to the limit of B.R. maintenance on Sharpness South Dock Branch. These engines may also work into the Sidings at Berkeley Road at slow speed.

78XX may work over these Sections, also over Sharpness North and South Dock Branches, subject to the following restrictions: 1. NOT to use Crossovers road between Sharpness Branch Platforms at Berkeley Road Station.

2. On Sharpness North Dock Branch may work up to, but NOT over Swing Bridge No. 3 over Gloucester and Berkeley Canal (41 m.p. and 47 m.p.).

3. On Sharpness South Dock Branch may work up to, but NOT beyond limit of B.R. maintenance.

4. NOT to work into No. 2 Inwards Siding at Sharpness.

38XX may work over RUNNING LINES ONLY and all Sidings, Crossovers, etc. (other than specified below) are prohibited.

South Docks Branch (South Junction to Dock Gates) ... Up and Down lines.

Crossovers on Docks Branch.

Crossover between Platforms at Berkeley Road.

Lydney Junction to Coleford Junction and Coleford Branch, Route Colour 'Uncoloured'.

TYPES OF ENGINES AUTHORISED, 'Uncoloured' Group and 36XX ('Yellow' Group),

Restrictions. 74XX and 36XX are not permitted to work over the Oakwood Branch.

74XX are further subject to the following prohibitions:-

Sling Branch. Sand Siding alongside Loading Bank. Colour Works Siding alongside Loading Bank.

Coleford. Loading Bank, Back Siding, Station Platform.

73XX are permitted to work between Lydney Junction and Lydney Town subject to the following prohibitions:—

1. Over weighbridge at 81 m.p.

2. Crossover between Up and Down Platforms at Lydney Town.

Coleford Junction to Speech House Road
Only Engines in the 'UNCOLOURED' GROUP are authorised.

ALCESTER AND BARNT GREEN. Route Colour 'Dotted Red'

	i	Engines Authorised		
Western Region	B.R. Standard	Diesel	L.M. Region	Kemarks
73 XX	All	All except:— 10000, 10001, 10201, 10202, 10203 (As Single/Double Units)	All except:— 4-6-2 46220-46257 2-8-0 53806-53810	The following are restricted to 20 m.p.h. throughout: 2-6-0 42700-42984, 4-6-0 44658-45742, 46101-46169, B.R. Std. 73XXX 4-6-2 B.R. Standard 70XXX and 72XXX 0-8-0 48895-49454 2-8-0 48000-48772 W.D. 2-8-0 90000-90731 2-10-0 B.R. Standard 92XXX Diesel Locos:— 600-604, 5700-5719

	Stations		Connec	Connections and Sidings				
Redditch	317 305	3.4	South New Road North All connections lead New Road Coal Sidings—Back Dixons Sidings Gas Works Sidings	ing to To Road	p Yar	d	336	B.R. Std. 92XXX

THE SEVERN BRIDGE

Route Severed.

SHARPNESS TURNTABLE

The above will only accommodate Tender engines with an overall wheelbase not exceeding 43 ft., i.e. W.R 32XX and below, also L.M.R. Class 4.F. Tender, and below.